

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	6	(auto near3 registration) same portal same subscriber	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 18:37
S2	4	@ad<"20031029" and (user adj naming adj system)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 18:39
S3	11	@ad<"20031029" and (naming adj system) and request\$3 with ((identify or ID) near3 user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 18:42
S4	12	@ad<"20031029" and (naming adj system) and (request\$3 or manag\$3) with ((identity or ID) near3 user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 18:46
S5	86	@ad<"20031029" and network near3 (application or entity or device or apparatus) with (request\$3 or manag\$3) with ((identity or ID) near3 user) and (select \$3 or manag\$3 or obtain \$3) with ((identity or ID) near3 user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 18:47
S6	0	@ad<"20031029" and network near3 (application or entity or device or apparatus) with (request\$3 or manag\$3) with ((identity or ID) near3 user) and (select \$3 or manag\$3 or obtain \$3) with predefined with ((identity or ID) near3 user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 18:48

S7	29	@ad< "20031029" and network near3 (application or entity or device or apparatus) with (request\$3 or manag\$3) with ((identity or ID) near3 user) and (select\$3 or manag\$3 or obtain\$3) with (predefined or stored or prefer\$4) with ((identity or ID) near3 user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 16:56
S18	28	@ad< "20031029" and (single or sign-on) near3 (password or log\$4) and (application or entity or device or apparatus or web or site) with (request\$3 or manag\$3) with ((identity or ID) near3 user) and (select\$3 or manag\$3 or obtain\$3) with (predefined or stored or prefer\$4) with ((identity or ID) near3 user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 19:26
S19	218	@ad< "20031029" and (select\$3 or manag\$3 or obtain\$3 or generat\$3 or creat\$3) with (predefined or stored or prefer\$4) with ((identity or ID) near3 (subscriber or user)) same ((status or location or time) near3 (user or client or subscriber))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 19:29
S20	20	@ad< "20031029" and (select\$3 or manag\$3 or obtain\$3 or generat\$3 or creat\$3) with (predefined or stored or prefer\$4) with ((identity or ID) near3 (subscriber or user)) same (based or correspond\$3 or associat\$3) near3 ((status or location or time) near3 (user or client or subscriber))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 19:32

S21	76	@ad<"20031029" and (select\$3 or obtain\$3 or choos\$3 or provid\$3) with (predefined or stored or prefer\$4) with (identity or ID or email or e-mail or username or (user adj name) or (email adj address)) same (based or correspond\$3 or associat\$3) near3 ((status or location or time or prefer\$5) near3 (user or client or subscriber))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 19:37
S22	4	@ad<"20031029" and (select\$3 or obtain\$3 or choos\$3 or provid\$3) near3 (predefined or stored or prefer\$4) near3 (identity or ID or email or e-mail or username or (user adj name) or (email adj address)) same (based or correspond\$3 or associat\$3) near3 ((status or location or time or prefer\$5 or profile) near3 (user or client or subscriber))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 19:42
S23	43	@ad<"20031029" and (select\$3 or obtain\$3 or choos\$3 or provid\$3) with (predefined or stored or prefer\$4) near3 (identity or ID or email or e-mail or username or (user adj name) or (email adj address)) same (based or correspond\$3 or associat\$3) near3 ((status or location or time or prefer\$5 or profile) near3 (user or client or subscriber))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 20:01

S27	291	@ad<"20031029" and (select\$3 or obtain\$3 or choos\$3 or provid\$3) with (identity or ID or email or e-mail or username or (user adj name) or (email adj address)) with (based or correspond\$3 or associat\$3) near3 ((status or location or time or prefer\$5 or profile) near3 (user or client or subscriber))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 20:01
S28	90	@ad<"20031029" and (select\$3 or obtain\$3 or choos\$3 or provid\$3) near3 (identity or ID or email or e-mail or username or (user adj name) or (email adj address)) with (based or correspond\$3 or associat\$3) near3 ((status or location or time or prefer\$5 or profile) near3 (user or client or subscriber))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 20:22
S32	9	@ad<"20031029" and (select\$3 or obtain\$3 or choos\$3 or provid\$3) near3 (identity or ID or email or e-mail or username or (user adj name) or (email adj address)) with (based or correspond\$3 or associat\$3) near3 ((status or location or time or prefer\$5 or profile) near3 (user or client or subscriber)) same application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 20:33
S33	79	@ad<"20031029" and (select\$3 or obtain\$3 or choos\$3 or provid\$3) near3 (identity or ID or email or e-mail or username or (user adj name) or (email adj address)) with ((status or location or time or prefer\$5 or profile) near3 (user or client or subscriber)) same application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/16 19:43

S34	39	@ad<"20031029" and (select\$3 or obtain\$3 or choos\$3 or provid\$3) near3 (identity or ID or email or e-mail or username or (user adj name) or (email adj address)) with ((status or location or time or prefer\$5 or profile) near3 (user or client or subscriber)) same application and request \$3 same (ID or identity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 20:34
S35	15	@ad<"20031029" and (provid\$3) near3 (identity or ID or email or e-mail or username or (user adj name) or (email adj address)) with application same ((status or location or time or prefer\$5 or profile) near3 (user or client or subscriber)) and application same request \$3 same (ID or identity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 20:35
S36	2	@ad<"20031029" and (generat\$3 or creat\$3 or select\$3 or obtain\$3) with (pseudonym or alias) near3 (identity or ID or email or e-mail or username or (user adj name) or (email adj address)) with (requesting near3 (site or application))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/16 19:46
S37	2	@ad<"20031029" and (generat\$3 or creat\$3 or select\$3 or obtain\$3 or provid\$3) with (pseudonym or alias) near3 (identity or ID or email or e-mail or username or (user adj name) or (email adj address)) same (requesting near3 (site or application or web))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/16 19:46

S38	2	@ad<"20031029" and (generat\$3 or creat\$3 or select\$3 or obtain\$3 or provid\$3) with (pseudonym or alias) near3 (identity or ID or email or e-mail or username or (user adj name) or (email adj address)) same ((requesting or business or non-trusted) near3 (site or application or web))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/16 19:47
S39	2	@ad<"20031029" and (generat\$3 or creat\$3 or select\$3 or obtain\$3 or provid\$3) with (pseudonym or alias) near3 (identity or ID or email or e-mail or username or (user adj name) or (email adj address)) same ((requesting or business or non-trusted) near3 (site or application or web or vendor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/16 19:47
S40	3	@ad<"20031029" and (generat\$3 or creat\$3 or select\$3 or obtain\$3 or provid\$3) with (pseudonym or alias) near3 (identity or ID or email or e-mail or username or (user adj name) or (email adj address)) same ((requesting or business or non-trusted or vendor) near3 (site or application or web))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/24 15:40

S41	610	@ad<"20031029" and (generat\$3 or creat\$3 or select\$3 or obtain\$3 or provid\$3) with (pseudonym or alias or ID or identity or ((email or network) adj address) or email or e-mail or username or (user adj name)) same (location or presence or status or preference) near3 (user or client) same application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/24 15:42
S42	39	@ad<"20031029" and (select\$3 or obtain\$3 or match\$3) with (pseudonym or alias or ID or identity or ((email or network) adj address) or email or e-mail or username or (user adj name)) same (location or presence or status or preference) near3 (user or client) same (corresponding or associated or request\$3) near3 application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/24 15:50
S43	10	@ad<"20031029" and (select\$3 or obtain\$3 or match\$3) with (user or client) near3 (pseudonym or alias or ID or identity or ((email or network) adj address) or email or e-mail or username or (user adj name)) with (location or presence or status or preference) near3 (user or client) same (corresponding or associated or request\$3) near3 application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/24 15:51

S44	242	@ad<"20031029" and (select\$3 or obtain\$3 or match\$3) with (user or client) near3 (pseudonym or alias or ID or identity or ((email or network) adj address) or email or e-mail or username or (user adj name)) same (according or associated or based) with (location or presence or status or preference) near3 (user or client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/24 15:53
S45	79	@ad<"20031029" and (select\$3 or obtain\$3 or match\$3) near3 (user or client) near3 (pseudonym or alias or ID or identity or ((email or network) adj address) or email or e-mail or username or (user adj name)) same (according or associated or based) with (location or presence or status or preference) near3 (user or client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/24 15:54
S46	62	@ad<"20031029" and (select\$3 or obtain\$3) near3 (user or client) near3 (pseudonym or alias or ID or identity or ((email or network) adj address) or email or e-mail or username or (user adj name)) same (according or associated or based) with (location or presence or status or preference) near3 (user or client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/24 15:57



S47	8	@ad<"20031029" and (select\$3 or obtain\$3) near3 (user or client) adj (pseudonym or alias or ID or identity or ((email or network) adj address) or email or e-mail or username or (user adj name)) same (according or associated or based) with (location or presence or status or preference) near3 (user or client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/24 15:57
S48	194	@ad<"20031029" and (select\$3 or obtain\$3 or communicat\$3 or forward \$3) near3 (user or client) near3 (pseudonym or alias or ID or identity or number or ((email or network) adj address) or email or e-mail or username or (user adj name)) same (according or associated or based) with (location or presence or status or preference) near3 (user or client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/25 13:55
S49	131	@ad<"20031029" and (select\$3 or obtain\$3 or communicat\$3 or forward \$3) near3 (user or client) near3 (pseudonym or alias or ID or identity or (telephone adj number) or ((email or network) adj address) or email or e-mail or username or (user adj name)) same (according or associated or based) with (location or presence or status or preference) near3 (user or client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/25 13:57

S50	22	@ad<"20031029" and (select\$3 or obtain\$3 or communicat\$3 or forward\$3) near3 (user or client) near3 (pseudonym or alias or ID or identity or (telephone adj number) or ((email or network) adj address) or email or e-mail or username or (user adj name)) same (according or associated or based) with (location or presence or status or preference) near3 (user or client) and (PMI or PIM or (personal\$7 near3 identi\$8))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/25 13:59
S51	0	@ad<"20031029" and (select\$3 or obtain\$3 or communicat\$3 or forward\$3 or list\$3 or stor\$3 or sav\$3) with (multiple or plurality or variety or various) near3 (user or client) near3 (pseudonym or alias or ID or identity or (telephone adj number) or ((email or network) adj address) or email or e-mail or username or (user adj name)) same (according or associated or based) with (location or presence or status or preference) near3 (user or client) and (PIM or (personal\$7 near3 manag\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/25 14:34
S52	19	@ad<"20031029" and (select\$3 or obtain\$3 or communicat\$3 or forward\$3 or list\$3 or stor\$3 or sav\$3 or register\$3) with (multiple or plurality or variety or various) near3 (user or client) near3 (pseudonym or alias or ID or identity or (telephone adj number) or ((email or network) adj address) or email or e-mail or username or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/25 14:35

		(user adj name)) same (according or associated or based) with (location or presence or status or preference) near3 (user or client)				
S53	0	@ad<"20031029" and (select\$3 or obtain\$3 or communicat\$3 or forward\$3 or list\$3 or stor\$3 or sav\$3 or register\$3 or subscrib\$3) with (multiple or plurality or variety or various) near3 (user or client or subscriber) near3 (pseudonym or alias or ID or identity or (telephone adj number) or ((email or network) adj address) or email or e-mail or username or (user adj name)) same (according or associated or based) with (location or presence or status or preference) near3 (user or client) and (PIM or (personal\$7 near3 manag\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/25 14:44
S54	8	@ad<"20031029" and (select\$3 or obtain\$3 or communicat\$3 or forward\$3 or list\$3 or stor\$3 or sav\$3 or register\$3 or subscrib\$3) with (multiple or plurality or variety or various) near3 (pseudonym or alias or ID or identity or (telephone adj number) or ((email or network) adj address) or email or e-mail or username or (user adj name)) same (location or presence or status or preference) near3 (user or client) and (PIM or (personal\$7 near3 manag\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/25 14:49

S55	25	@ad<"20031029" and (select\$3 or obtain\$3 or communicat\$3 or forward\$3 or list\$3 or stor\$3 or sav\$3 or register\$3 or subscrib\$3) with (multiple or plurality or variety or various) near3 (contact or pseudonym or alias or ID or identity or (telephone adj number) or ((email or network) adj address) or email or e-mail or username or (user adj name)) same (location or presence or status or preference) near3 (user or client or subscriber or member) and (PIM or (personal\$7 near3 manag\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/25 14:50
S60	495	@ad<"20031029" and (select\$3 or obtain\$3 or communicat\$3 or forward\$3 or list\$3 or stor\$3 or sav\$3 or register\$3 or subscrib\$3) with (multiple or plurality or variety or various or list or database) near3 (contact or pseudonym or alias or ID or identity or (telephone adj number) or ((email or network) adj address) or email or e-mail or username or (user adj name)) same (location or presence or status or preference) same (user or client or subscriber or member) and (PIM or ((personal\$7 or contact) near3 manag\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/25 15:03

S61	142	@ad<"20031029" and (select\$3 or obtain\$3 or communicat\$3 or forward\$3 or list\$3 or stor\$3 or sav\$3 or register\$3 or subscrib\$3) with (multiple or plurality or variety or various or list or database) near3 (contact or pseudonym or alias or ID or identity or (telephone adj number) or ((email or network) adj address) or email or e-mail or username or (user adj name)) with (location or presence or status or preference) with (user or client or subscriber or member) and (PIM or ((personal\$7 or contact) near3 manag\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/25 15:04
-----	-----	--	---	----	----	---------------------

6/26/2008 12:02:12 PM

C:\Documents and Settings\qnguyen4\My Documents\EAST\Workspaces  
\10695700\_SelectUserIdentity.wsp